

Date: 07-Apr-2015

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. North-West/1-2454602370/2015/EOA

To, The Financial Commissioner & Principal Secretary (Technical) Govt. of Haryana, Room No. 503/5, Sector -17 New Secretariat, Chandigarh-160017

Sub: Extension of approval for the academic year 2015-16

Ref: Application of the Institution for Extension of approval for the academic year 2015-16

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions)
Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

| Regional Office | North-West | Application Id | 1-2454602370 |
|------------------------------|---|-----------------------|---|
| | | Permanent Id | 1-4169394 |
| Name of the Institute | PANIPAT INSTITUTE OF ENGINEERING & TECHNOLOGY | Institute Address | 70KM MILESTONE, NH-1, VILLAGE PATTIKALYANA, SAMALKHA, PANIPAT, PANIPAT, Haryana, 132102 |
| Name of the Society/Trust | VIDHYA PEETH EDUCATION TRUST | Society/Trust Address | 1801, NHBC,PANIPAT,PANIPAT,Haryana,132103 |
| Institute Type | Unaided - Private | | |

| Opted for change from | No | Opted for change of | No | Opted for change of | No |
|-----------------------|----------------|---------------------|----------------|---------------------|----------------|
| Women to Co-ed | | name | | site | |
| | | | | | |
| Change from Women to | Not Applicable | Change of name | Not Applicable | Change of site | Not Applicable |
| Co-ed approved | | Approved | | Approved | |
| | | | | | |
| | | | | | |
| | | | | | |

To conduct following courses with the intake indicated below for the academic year 2015-16

Application Number: 1-2454602370* Page 1 of 4

Note: This is a Computer generated Letter of Approval.No signature is required.

Letter Printed On:14 April 2015



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

| Application Id: 1-2454602370 | | Course | | Affiliating Body | | for | atus | atus | ration | |
|----------------------------------|--------------|-----------------------|--|------------------|---|----------------|------------------------------|---------------------|---------------------|--|
| Program | Shift | Level | _ | Full/Part Time | | Intake 2014-15 | Intake Approved for 15-16 | NRI Approval status | PIO Approval status | Foreign Collaboration Approval status |
| ENGINEERING AND TECHNOLOGY | 1st Shift | POST GRADUA TE | CAD/CAM ENGINEERING | FULL TIME | Kurukshetra University, Kurukshetra | 18 | 18 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | POST GRADUA TE | CIVIL ENGINEERING | FULL TIME | Kurukshetra University, Kurukshetra | 24 | 24 | NA | NA | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | POST GRADUA TE | COMPUTER SCIENCE AND ENGINEERING | FULL TIME | Kurukshetra University, Kurukshetra | 36 | 36 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | POST GRADUA TE | COMPUTER SCIENCE & TECHNOLOGY | FULL TIME | Kurukshetra University, Kurukshetra | 24 | 24 | NA | NA | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | POST GRADUA TE | ELECTRONICS & COMMUNICATION ENGG | FULL TIME | Kurukshetra University, Kurukshetra | 18 | 18 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | UNDER GRADUA TE | CIVIL ENGINEERING | FULL TIME | Kurukshetra University, Kurukshetra | 120 | 120 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | UNDER GRADUA TE | COMPUTER SCIENCE AND ENGINEERING | FULL TIME | Kurukshetra University, Kurukshetra | 180 | 180 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | UNDER GRADUA TE | ELECTRONICS & COMMUNICATION ENGG | FULL TIME | Kurukshetra University, Kurukshetra | 120 | 120 | NA | Yes | NA |

Application Number: 1-2454602370* Page **2** of **4**

Note: This is a Computer generated Letter of Approval.No signature is required.

Letter Printed On:14 April 2015



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

| Application Id: 1-2454602370 | | Course | | Affiliating Body | -15 | oved for | al status | al status | aboration | |
|----------------------------------|--------------|---------------------------|---------------------------------------|------------------|---|----------------|------------------------------|---------------------|---------------------|--|
| Program | Shift | Level | | Full/Part Time | | Intake 2014-15 | Intake Approved for 15-16 | NRI Approval status | PIO Approval status | Foreign Collaboration Approval status |
| ENGINEERING AND TECHNOLOGY | 1st Shift | UNDER GRADUA TE | INFORMATION TECHNOLOGY | FULL TIME | Kurukshetra University, Kurukshetra | 60 | 60 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | UNDER GRADUA TE | MECHANICAL ENGINEERING | FULL TIME | Kurukshetra University, Kurukshetra | 180 | 180 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 1st Shift | UNDER GRADUA TE | TEXTILE ENGINEERING | FULL TIME | Kurukshetra University, Kurukshetra | 60 | 60 | NA | Yes | NA |
| ENGINEERING AND TECHNOLOGY | 2nd Shift | DIPLOMA | MECHANICAL ENGINEERING | FULL TIME | Department of Technical Education, Panchkula | 120 | 120 | NA | Yes | NA |
| MANAGEMEN T | 1st Shift | POST GRADUA TE | BUSINESS ADMINISTRATION | FULL TIME | Kurukshetra University, Kurukshetra | 180 | 180 | NA | Yes | NA |
| MCA | 1st Shift | MCA 2nd Year Direct | MASTER OF COMPUTER APPLICATIONS | FULL TIME | Kurukshetra University, Kurukshetra | 60 | 60 | NA | NA | NA |
| MCA | 1st Shift | POST GRADUA TE | COMPUTER APPLICATIONS | FULL TIME | Kurukshetra University, Kurukshetra | 60 | 60 | NA | Yes | NA |

Note: Validity of the course details may be verified at www.aicte-india.org>departments>approvals

The above mentioned approval is subject to the condition that PANIPAT INSTITUTE OF ENGINEERING & TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

Application Number: 1-2454602370* Page **3** of **4**

Note: This is a Computer generated Letter of Approval.No signature is required.

Letter Printed On:14 April 2015



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Dr. Avinash S Pant Actg Chairman, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education Plot No. 1A, 5th Floor, DTE(Pb..) Building, Dakshin Mark, Sector 36-A, Chandigarh-160 036

2. The Director Of Technical Education,

Haryana

3. The Registrar,

Kurukshetra University, Kurukshetra

4. The Principal / Director,

PANIPAT INSTITUTE OF ENGINEERING & TECHNOLOGY 70KM MILESTONE, NH-1, VILLAGE PATTIKALYANA, SAMALKHA, PANIPAT, PANIPAT, Haryana, 132102

5. The Secretary / Chairman,

VIDHYA PEETH EDUCATION TRUST 1801, NHBC, PANIPAT,PANIPAT, Haryana,132103

6. Guard File(AICTE)

Application Number: 1-2454602370* Page 4 of 4

Note: This is a Computer generated Letter of Approval.No signature is required.

Letter Printed On:14 April 2015